## Memory-based NEET PG 2023 question

- Q1. The most common nerve injured at the proximal end of fibula
- A. Common Peroneal Nerve
- Q2. ECG with tall T waves. Which drug can cause such side effect
- A. Hypercilimia
- Q3. A patient with diarrhoea, dermatitis, and dementia. Which nutrition deficiency causes this?
- A. Niacin
- Q4.30-year-old patient with H/O midline neck swelling which moves up on deglution and protusion of tongue. Diagnosis?
- A. Thyroglossal Cyst
- Q5. A patient with cirrhosis presents with bleeding. Which anastomosis is prone to bleed in this case?
- A. Left gastric and azygous
- Q6. 45-year old operated laparoscopic inguinal hernia. Postoperatively for 3 years he has been having pain and loss of sensation in the lower leg. Most commonly nerve-struck in the fixator is
- A. Lat cutaneous nerve of thigh
- Q7. Mid diastolic murmur with a wave prominent in JVP
- A. TS
- Q8. Which drug inhibits both Nepryline and ACE?
- A. Omaptrilat
- Q9. Where is the likely lesion if the patient can't see the right visual field images from both eyes.
- A. Left Optic Tract
- Q10. The most common complication after the first major vessel ligation during APR is?
- A. parasympathetic-bladder dysfunction and erectile dysfunction