CEB11

43957

MULTIPLE CHOICE QUESTIONS

SUBJECT : BIOLOGY

FULL MARKS : 80

(Each question carries one mark)

1.	Glucose and amino acids an	e reabsorbed in the		
	A. proximal tubule	B. distal tubule	C. collecting duct	D. loop of Henle
				[Ans. (A)]
2.	The amount of CSF in the c	•		
	A. 500 ml	B. 140 ml	C. 1 litre	D. 1.5 ml
2	Which one is imino acid?			[Ans. (B)]
5.	A. Pepsin	B. Proline	C. Cysteine	D. Renin
	A. Tepsin	D. Home	C. Cystellic	[Ans. (B)]
4.	The main difference betwee	en Gram positive and Gram	negative bacteria is	
	A. Cell membrane	B. Cell Wall	C. Ribosome	D. Mitochondria
				[Ans. (B)]
5.	ACTH is secreted from			
	A. Adrenal cortex	B. Pituitary	C. Adrenal Medulla	D. Thyroid
				[Ans. (B)]
6.	Which of the following is the			
	A. SA node \rightarrow AV node \rightarrow B. AV node \rightarrow Bundle of λ			
	B. AV node \rightarrow Bundle of C. SA node \rightarrow Purkinje fil	U		
	D. Purkinje fibers \rightarrow AV 1			
	Di Turingenbers / II / I			
		ioue / SA noue / Dunute	01 1115	[Ans. (A)]
7.	Inner surface of the bronchi			[Ans. (A)]
7.	Inner surface of the bronchi A. cubical epithelium			[Ans. (A)] D. ciliated epithelium
7.		, bronchioles and fallopian t	ubes are line by	
	A. cubical epithelium Electric potential of the brai	, bronchioles and fallopian t B. columnar epithelium	ubes are line by	D. ciliated epithelium [Ans. (D)]
	A. cubical epithelium	, bronchioles and fallopian t B. columnar epithelium	ubes are line by	D. ciliated epithelium [Ans. (D)] D. EEG
8.	A. cubical epitheliumElectric potential of the braiA. CT Scan	, bronchioles and fallopian t B. columnar epithelium in is recorded by B. Sphygmomanometer	ubes are line by C. squamous epithelium	D. ciliated epithelium [Ans. (D)]
8.	A. cubical epitheliumElectric potential of the brainA. CT ScanWhich of the following is related to the second seco	a, bronchioles and fallopian t B. columnar epithelium in is recorded by B. Sphygmomanometer ated to humoral immunity ?	ubes are line by C. squamous epithelium C. ECG	D. ciliated epithelium [Ans. (D)] D. EEG [Ans. (D)]
8.	A. cubical epitheliumElectric potential of the braiA. CT Scan	, bronchioles and fallopian t B. columnar epithelium in is recorded by B. Sphygmomanometer	ubes are line by C. squamous epithelium	D. ciliated epithelium [Ans. (D)] D. EEG [Ans. (D)] D. P-lymphocyte
8. 9.	 A. cubical epithelium Electric potential of the brai A. CT Scan Which of the following is rel A. T-lymphocyte 	a, bronchioles and fallopian t B. columnar epithelium in is recorded by B. Sphygmomanometer ated to humoral immunity ?	ubes are line by C. squamous epithelium C. ECG	D. ciliated epithelium [Ans. (D)] D. EEG [Ans. (D)]
8. 9.	 A. cubical epithelium Electric potential of the brain A. CT Scan Which of the following is relevant A. T-lymphocyte Fertilization occur in 	a, bronchioles and fallopian t B. columnar epithelium In is recorded by B. Sphygmomanometer ated to humoral immunity ? B. B-lymphocyte	ubes are line by C. squamous epithelium C. ECG C. I-lymphocyte	D. ciliated epithelium [Ans. (D)] D. EEG [Ans. (D)] D. P-lymphocyte [Ans. (B)]
8. 9.	 A. cubical epithelium Electric potential of the brai A. CT Scan Which of the following is rel A. T-lymphocyte 	a, bronchioles and fallopian t B. columnar epithelium in is recorded by B. Sphygmomanometer ated to humoral immunity ?	ubes are line by C. squamous epithelium C. ECG	D. ciliated epithelium [Ans. (D)] D. EEG [Ans. (D)] D. P-lymphocyte [Ans. (B)] D. Fallopian tube
8. 9. 10.	 A. cubical epithelium Electric potential of the brain A. CT Scan Which of the following is relevant A. T-lymphocyte Fertilization occur in A. Uterus 	 a, bronchioles and fallopian t b. columnar epithelium c. columnar epithelium c. sphygmomanometer ated to humoral immunity ? b. B-lymphocyte b. Ureter 	ubes are line by C. squamous epithelium C. ECG C. I-lymphocyte	D. ciliated epithelium [Ans. (D)] D. EEG [Ans. (D)] D. P-lymphocyte [Ans. (B)]
8. 9. 10.	 A. cubical epithelium Electric potential of the brain A. CT Scan Which of the following is relevant A. T-lymphocyte Fertilization occur in 	 a, bronchioles and fallopian t b. columnar epithelium c. columnar epithelium c. sphygmomanometer ated to humoral immunity ? b. B-lymphocyte b. Ureter 	ubes are line by C. squamous epithelium C. ECG C. I-lymphocyte	D. ciliated epithelium [Ans. (D)] D. EEG [Ans. (D)] D. P-lymphocyte [Ans. (B)] D. Fallopian tube

12.	A. Hypothyroidism	B. Hypoparathyroidism	C. Hyperthyroidism	D. Hyperparatl	•
13	Which of the following is a r	ninerelocorticoid?			[Ans. (A)]
15.	A. Testosterone	B. Progesterone	C. Adrenalin	D. Aldosterone	
		21 1108000000		2111000001011	[Ans. (D)]
14.	The part of the brain where	the centre for hunge and th	irst is located is		
	A. Cerebrum	B. Hypothalamus	C. Cerebellum	D. Medulla Obl	-
1 7		1 6 1			[Ans. (B)]
15.	The reflex arc, which is made A. Monosynsptic reflex arc		B. Disynaptic reflex arc		
	C. Polysynaptic reflex arc	·	D. Asynaptic reflex arc		
					[Ans. (A)]
16.	The lactase hydrolyzes lacto	ose into			
	A. Glucose	B. Glucose and galactose	C. Fructose	D. Glucose and	fructose
					[Ans. (B)]
17.	In 24 hours, total glomerular			D 1701	
	A. 1.7 litres	B. 7 litres	C. 17 litres	D. 170 litres	[Ans. (D)]
18.	When the oxygen supply to	the tissue is inadequate, the	condition is		
	A. Dyspnea	B. Hypoxia	C. Asphyxia	D. Apnea	
	• •			•	[Ans. (B)]
19.	Which one of the following				
	A. Calcium	B. Sodium	C. cAMP	D. cGMP	
20	The name of the name make	an of the beaut is			[Ans. (B)]
20.	The name of the pace make A. Lymph node	er of the heart is	B. S.A. node		
	C. Juxtaglumerular apparat	us	D. Semilunar valve		
	C 11				[Ans. (B)]
21.	What is a genophore ?				
	A. DNA in prokaryotes		B. DNA and RNA in prok	aryotes	
	C. DNA and protein in prol	karyotes	D. RNA in prokaryotes		
22	Example of a typical homop	olysaccharide is			[Ans. (A)]
22.	A. Ligin	B. Suberin	C. Inulin	D. Starch	
	6				[Ans. (D)]
23.	Who wrote the famous book	"Origin of Species"?			
	A. Larmarck	B. Darwin	C. De Vries	D. Mendel	
24	D. L., 1. 1. 1. 1. 1. 1.	1.66			[Ans. (B)]
24.	Polyploid derived from two A. Autopolyploid	B. Triploid	C. Allopolyploid	D. Monoploid	
		D. Thpiola		D. Monopioid	[Ans. (C)]

25.	Electrons used in Electron M	Mic	roscope are of the wavel	eng	th			
	A. 0.05 Å	B.	0.15 Å	C.	0.25 Å	D. 0.30 Å		
							[Ans.	(A)]
26.	Biolistic technique is used in	l						
	A. Tissue culture process			В.	Gene transfer process			
	C. Hybridization process			D.	Germplasm conservation	n process		
							[Ans.	(B)]
27.	Example of water soluble pl	ant	pigment is					
	A. Chlorophyll-a	В.	Chlorophyll-b	C.	Anthocyanin	D. Xanthophyll		
							[Ans.	(C)]
28.	Structure element of Chrom	atin	is					
	A. Histone	В.	Acid protein and DNA	C.	Nuclear matrix	D. Nucleosome	S	
							[Ans.	(D)]
29.	Inulin is a polymer of							
	A. Glucose	В.	Galactose	C.	Fructose	D. Arabinose		
							[Ans.	(C)]
30.	Mannitol is							
	A. Amino acid	В.	Amino alcohol	C.	Sugar alcohol	D. Sugar acid		
							[Ans.	(C)]
31.	A flower which can be divid							
	A. Zygomorphic	В.	Actinomorphic	C.	Regular	D. Perfect		
							[Ans.	(A)]
32.	Pieces of plant tissue used in			~				
	A. Explant	В.	Somaclone	C.	Inoculant	D. Clone		
22	***						[Ans.	(A)]
33.	VAM is	Б		G				
	A. Symbiotic bacteria	В.	Saprophytic bacteria	C.	Saprophytic fungi	D. Symbiotic fu	-	
24	01	c					[Ans.	(D)]
34.	Ovule integument gets trans			C		D. sofuladana		
	A. seed	В.	fruit wall	C.	seed coat	D. cotyledons	ГА	$(\mathbf{O})1$
25	A aid rain is assed by						[Ans.	(C)]
55.	Acid rain is caused by	D	50	C	50			
	A. NO ₂	D.	SO ₂	C.	SO ₃	D. CO ₂	[A ma	(D)1
36	Which one of the following	had	starium is used for produ	otic	on of transgenic plants?		[Ans.	(D)]
50.	A. Escherichia coli	, Dat	terruin is used for produ		Bacillus thuringiensis			
	C. Staphylococcus aureus				Agrobacterium tumefa			
	C. Siuphyiococcus uureus			D.		u 1011W	[Ang	(D)]
37	A plant cell becomes turgid	due	to				[Ans.	(ש)]
57.	A. Plasmolysis		Exosmosis	С	Endosmosis	D. Electrolysis		
		2.		ς.		2. 2.00019515	[Ans.	(C)]
							L+ ====0.0	$\sqrt{2}$

38. Restriction enzymes are usA. Single stranded RNAC. Single stranded DNA	ed to cut	B. Double stranded DNA D. Double stranded RNA	
39. Spindle fibre is made up of A. humulin	B. intermediate filament	C. flagellin	D. tubulin [Ans. (D)]
40. Edible part of Mushroom isA. Basidiocarp	B. Primary mycelium	C. Fungal hyphae	D. Basidiospores [Ans. (A)]
 Calcium level decreases in A. Parathyroid hormone 	the blood due to hyposecret B. Calcitonin	ion of C. Thyroxine	D. Adrenaline [Ans. (A)]
42. Kupffer's cells areA. PhagocyticC. Hormone secreting		B. Mast cellsD. Digestive juice secreti	
43. Which centre is stimulatedA. Anterior hypothalamus			[Ans. (A)]
C. Limbic system44. Name the following having		D. Red nucleus s. (A) Heat loss centre i.	.e. Anterior hypothalamus]
A. Myoglobin45. Longest phase of meiosis	B. Actin	C. Myosin	D. Fibrin [Ans. (A)]
A. Prophase I	B. Prophase II	C. Anaphase I	D. Metaphase II [Ans. (A)]
46. Tetany is caused byA. Hyperparathyroidism	B. Hypoparathyroidism	C. Hyperthyroidism	D. Hypothyroidism [Ans. (B)]
47. Which of the following is a A. Prolactin	gastro intestine hormone ? B. Enterokinase	C. GH	D. FSH [Ans. (B)]
48. Name the hormone that has A. LH	s no role in menstruation. B. FSH	C. GH	D. TSH [Ans. (D)]
49. Which of the following sub A. GABA	bstances can cure Parkinson B. Acetylcholine	's disease ? C. Dopamine	D. Glutamic acid
50. Movement of tongue muscA. facial nerve	le is controlled by B. trigeminal nerve	C. hypoglossal nerve	[Ans. (C)] D. vagus nerve [Ans. (C)]

51. Which function will be lost du	e to damage of occipital l	obe ?		
	S. Speech	C. Vision	D. Memory	
			[Ans. (C)]
52. Meissner's corpuscles occur is				
A. Brain B	. Nerve cells	C. Skin	D. Tongue	
52 Ostoomologia is a definiency	liances of		Į,	Ans. (C)]
53. Osteomalacia is a deficiency of A. Infants due to protein energy		B. Adults due to protein en	artay malnutrition	
C. Adults due to Vitamin D d		D. Infants due to Vitamin		
	enerency	D. munto due to vitamini	•	Ans. (C)]
54. The gene of sickle cell anaemi	a is inherited by		L	
A. Blood cells B	Bone cells	C. Sex chromosomes	D. Autosomes	
			[,	Ans. (D)]
55. Ptyalin is inactivated by a com				
A. Pepsin B	. Mucus	C. Rennin	D. HCl	
56 Which one of the following hy	man calla da nat contain s	mitashandria 9	Į.	Ans. (D)]
56. Which one of the following hu A. Nerve cell B	Red blood cell	C. Liver cell	D. White blood c	<u>ماا</u>
A. Nerve tell	. Red blobd cell	C. Liver cell		Ans. (B)]
57. In which stage of the first mei	otic division two sister ch	aromatids are formed?	L	
-	. Zygotene	C. Pachytene	D. Diplotene	
-			- [Ans. (C)]
58. Which one of the following tri	plet codons is a chain terr	nination codon ?		
A. UGU B	AAU	C. UUG	D. UAG	
			[Ans. (D)]
59. How many pairs of contrastin				
A. 3 B	5. 5	C. 7 [According to English vo	D. 9 arsian Answar is Bi	i a 5 nairs
	Acco	ording to Bengali version pair		-
60. If a cross between two individ		s with 50% dominant chara	cter (A) and 50%	recessive
character (a) the genotype of	-			
A. $Aa \times Aa$ B	Aa \times aa	C. $AA \times aa$	D. $AA \times Aa$	\mathbf{Ang} (D)]
61. Structural lipids of cell membr	rane are		Ľ	Ans. (B)]
	. Chromolipids	C. Steroid	D. Phospholipid	s
	· · · · · · · · · · · · · · · · · · ·			Ans. (D)]
62. Which one of the following is	polysaccharide?		-	
A. Glycogen B	S. Sucrose	C. Lactose	D. Maltose	
			[Ans. (A)]
63. What will be the codons in m				
A. TAC – GTC B	. UAC – GUC	C. UCA – TUA	D. TCA – GTC	
			l	Ans. (B)]

64.	Which of the following spe	cies is restricted to a specifi	ic ar	rea?			
	A. Sibling species	B. Allopatric species	C.	Sympatric species	D. Endemic spe	cies	
						[Ans.	(D)]
65.	Which one of the following	is NOT correctly matched	?				
	A. Sycon – Canal system		B.	Star fish – Radial symr	netry		
	C. Ascaris – Flame cell		D.	Prawn – Haemocoel			
						[Ans.	(C)]
66.	Which one of the following	animal phyla does not poss	ess	a coelom ?			
	A. Platyhelminthes	B. Annelida	C.	Mollusca	D. Echinoderma	ata	
						[Ans.	(A)]
67.	Cardiac muscles are						
	A. Striated and voluntary		B.	Striated and involuntary	/		
	C. Smooth and voluntary		D.	Smooth and involuntary	1		
						[Ans.	(B)]
68.	Which one of the following	immunoglobulins is found a	is pe	entamer?			
	A. IgG	B. IgM	C.	IgA	D. IgE		
						[Ans.	(B)]
69.	Which one of the following	cells is not a phagocytic cel	1?				
	A. Macrophage	B. Monocyte	C.	Neutrophil	D. Basophil		
						[Ans.	(D)]
70.	Which one of the following	is the most primitive ancest	tor o	of man ?			
	A. Homo habilis		В.	Australopithecus			
	C. Rampithecus punjabic	us	D.	Homo neanderthalens	sis		
						[Ans.	(C)]
71.	A female Anopheles mosqu	ito can be recognized by					
	A. Proboscis and palpi are	long and more or less of equ	ual l	ength			
	B. Proboscis long and palp	i short					
	C. Proboscis short and palp	oi long					
	D. Both proboscis and palp	oi are short					
						[Ans.	(A)]
72.	The anterior V-spot in micr	ofilaria of Wuchereria repre	esen	ts			
	A. Nerve ring	B. Cervical papilla	C.	Excretory System	D. Reproductive	e syste	em
						[Ans.	(C)]
73.	In a population, unrestricted	l reproductive capacity is ca	lled				
	A. Biotic potential	B. Fertility	C.	Carrying capacity	D. Birth rate		
						[Ans.	(A)]
74.	When the two ecosystems of	overlap each other, the area	is c	alled			
	A. Habitat	B. Niche	C.	Ecotone	D. Ecotype		
						[Ans.	(C)]
75.	Pyramid of energy in ecosy	stems is					
	A. Always upright	B. Always inverted	C.	Mostly upright	D. Mostly inver	ted	
						[Ans.	(A)]

76.	Which one of the following is mainly responsible for green house effect ?				
	A. SO ₂	B. CO ₂	C. CO	D. O ₂	
				[Ans. ((B)]
77.	Which one of the following				
	A. Barbus stigma	B. Cyprinus carpio	C. Labeo bata	D. Cirrhinus mrigala	
				[Ans. ((B)]
78.	Which of the following two	hormones are essential for	e e		
	A. TSH and ACTH		B. Oestrogen and progest		
	C. FSH and LH		D. Vassopressin and oxyt		
70	XX7 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.			[Ans. ((C)]
79.	Which stage of malarial par		C. Commencerite		
	A. Gametocyte	B. Merozoite	C. Cryptomerozoite	D. Sporozoite	ו(ת
80	The scientific name of the r	noth which produce tasar is	,	[Ans. ([(ח)]
80.	A. Bombyx mori	notir which produce tasar is	B. Antheraea mylitta		
	C. Antheraea assamensis		D. Philosomia ricini		
	C. Inneraca assumentsis		D. I muosonna riem	[Ans. ((B)]
					[(ש)]

DESCRIPTIVE QUESTIONS SUBJECT : BIOLOGY FULL MARKS : 20 (Each question carries two marks)

1. What are poikilothermic animals?

Ans. Also called cold blooded animals. Their body temperature changes according surrounding environment. These animals are less active.

e.g. all invertebrates, fishes, amphibians, reptiles.

- 2. Write two functions of juxtaglomerular apparatus.
- Ans. Functions:

4. Ans. (i) Juxtaglomerular cells secretes Renin which through RAAS (Renin-Angiotensis Aldosterone System) help in absorption of Na^+ from DCT and therefore increases Blood pressure.

(ii) Its Macula densa cells act as chemorecptor feeding information to JG cells.

- 3. State two differences between red and white muscle.
- Ans. Difference between Red & White Muscle.

	Red Muscles		White Muscles
i)	Rich in Myoglobin.	i)	Less myoglobin.
ii)	Mitochondria are more in number.	ii)	Less in number.
iii)	Less sarcoplasmic reticulum.	iii)	More sarcoplasmic reticulum.
iv)	Can carry out considerable aerobic respiration.	iv)	Depends mainly on anaerobic respiration.
v)	Slow rate of contraction for long period.	v)	Fast rate of contraction for short period.
. What	is the difference between pinocytosis	and phag	ocytosis?

15.	Phagocytosis			Pinocytosis			
	i)	Bulk intake of fluid material by cell.	i)	Intake of solid material from outside to inside of the cell.			
	ii)	Vesicles formed are small.	ii)	Large			
	iii)	Lysosome play no role.	iii)	Lysosomes are essential.			

- 5. State four important functions of plasma membrane.
- Ans. (i) Helps in Transport by active and passive processes.
 - (ii) Take part in Exocytosis and Endocytosis.
 - 6. What is bioaccumulation ?
- Ans. Different types of elements and compound deposited inside the living beings. Which is called Bioaccumulation or Bioconcentration. Like in scallops maximum quantity of Zn, Cu, Cd and Cr deposited and in human beings maximum Iodide deposited in thyroid glands.

- 7. What is a test cross ? Why is it so named ?
- Ans. When F_1 progeny is crossed with recessive parent then it is called Test Cross. Test Cross helps to find out the genotype of dominant individual.

8. What is ribozyme?

- Ans. Ribozymes are the RNA molecules (Non protein enzyme) that possess catalytic activity they function in RNA splicing reactions.
 - 9. What are mycorrhizae?
- Ans. The association of fungi with the roots of higher plant, is called mycorrhizae. Mycorrhizal association fround in conifers plant.
 - 10. Write down the scientific name of China rose plant. Give its floral formula.

Ans. Hibiscus rosasinensis :

 $\operatorname{Br} \oplus \operatorname{Q}^{\bullet} \operatorname{Epi}_{7} k_{(5)} \widehat{C_{5} A}_{(\alpha)} \underline{G}_{(5-\alpha)}$

