# NCERT Solution for Class 10 Science Chemical Reactions And Equations Exercise - 1

Question (1)

### Why should a magnesium ribbon be cleaned before burning in air?

#### Answer :

Magnesium is very reactive metal. When stored it reacts with oxygen to form a layermagnesium oxide on its surface. This layer of magnesium oxide is quite stable and prevents further reaction of magnesium with oxygen. The magnesium ribbon is cleaned by sand paper to remove this layer so that the underlying metal can be exposed into air.

#### Question (2)

Write the balanced equation for the following chemical reactions.

(i) Hydrogen + Chlorine  $\rightarrow$  Hydrogen Chloride

```
(ii) Barium chloride + Aluminium sulphate → Barium sulphate + Aluminium Chloride
```

```
(iii) Sodium + Water \rightarrow Sodium Hydroxide + Hydrogen
```

Answer :

(i)  $H_{2(g)} + Cl_{2(g)} \rightarrow 2HCL_{(g)}$ 

(ii)  $3BaCl_{2(s)} + Al_2(SO_4)_{3(s)} \rightarrow 3BaSO_{4(s)} + 2AlCl_{3(s)}$ 

(iii)  $2Na_{(s)} + 2H_2O_{(1)} \rightarrow 2NaOH_{(aq)} + H_{2(g)}$ 

#### Question (3)

Write a balanced chemical equation with state symbols for the following reactions:

(i) Solutions of barium chloride and sodium sulphate in water react to give insoluble barium sulphate and the solution of sodium chloride.

(ii) Sodium hydroxide solution (in water) reacts with hydrochloric acid solution (in water) to produce sodium chloride solution and water.

Answer :

(i)  $BaCl_{2(aq)} + Na_2SO_{4(aq)} \rightarrow BaSO_{4(s)} + 2NaCl_{(aq)}$ 

(ii)  $\operatorname{NaOH}_{(aq)} + \operatorname{HCl}_{(aq)} \rightarrow \operatorname{NaCl}_{(aq)} + \operatorname{H}_2O_{(l)}$ 

# NCERT Solution for Class 10 Science Chemical Reactions And Equations Exercise - 2

Question (1)

A solution of a substance 'X' is used for white washing.

#### (i) Name the substance 'X' and write its formula.

#### (ii) Write the reaction of the substance 'X' named in (i) above with water.

#### Answer :

The substance 'X' is calcium oxide. Its chemical formula is CaO.Calcium oxide reacts vigorously with water to form calcium hydroxide (slaked lime).

CaO <sub>(s)</sub>	$+ \mathrm{H_2O}(l)$	$\rightarrow$	Ca(OH) <sub>2(aq)</sub>
Calcium Oxide	Water		Calcium Hydroxide
(Quick Lime)			(Slaked lime)

#### Question (2)

Why is the amount of gas collected in one of the test tubes in Activity 1.7 double of the amount collected in the other? Name this gas.

#### Answer :

Water  $(H_2O)$  contains two parts hydrogen and one part oxygen. Therefore, the amount of hydrogen and oxygen produced during electrolysis of water is in a 2:1 ratio. During electrolysis, since hydrogen goes to one test tube and oxygen goes to another, the amount of gas collected in one of the test tubes is double of the amount collected in the other.

# NCERT Solution for Class 10 Science Chemical Reactions And Equations Exercise - 3

Question (1)

#### Why does the colour of copper sulphate solution change when an iron nail is dipped in it?

#### Answer :

When an iron nail is placed in a copper sulphate solution, iron displaces copper from copper sulphate solution forming iron sulphate, which is green in colour.

Iron Copper Iron Copper

Sulphate(Blue colour) Sulphide

Therefore, the blue colour of copper sulphate solution fades and green appears.

#### Question (2)

#### Give an example of a double displacement reaction other than the one given in Activity 1.10.

#### Answer :

Sodium Carbonate reacts with calcium chloride to form calcium carbonate and sodiumchloride.

 $Na2CO_{3(aq)} + CaCl_{2(aq)} \rightarrow CaCO_{3(s)} + 2NaCl_{(aq)}$ 

Chloride

In this reaction, sodium carbonate and calcium chloride exchange ions to form two new compounds. Hence, it is a double displacement reaction.

#### Question (3)

Identify the substances that are oxidised and the subsatnces that are reduced in the following reactions.

(i)  $4Na_{(s)} + O_{2(g)} \rightarrow 2Na_2O_{(s)}$ 

(ii)  $\operatorname{CuO}_{(s)} + \operatorname{H}_{2(g)} \rightarrow \operatorname{Cu}_{(s)} + \operatorname{H}_{2}\operatorname{O}_{(l)}$ 

#### Answer :

(i) Sodium (Na) is oxidised as it gains oxygen and oxygen gets reduced.

(ii) Copper oxide (CuO) is reduced to copper (Cu) while hydrogen (H<sub>2</sub>) gets oxidised to water (H<sub>2</sub>O).

## NCERT Solution for Class 10 Science Chemical Reactions And Equations Exercise - 4

Question (1)

Which of the statements about the reaction below are incorrect?

 $2PbO_{(s)} + C_{(s)} \rightarrow 2Pb_{(s)} + CO_{2(g)}$ 

(a) Lead is getting reduced.

(b) Carbon dioxide is getting oxidised.

(c) Carbon is getting oxidised.

(d) Lead oxide is getting reduced.

**OPTIONS:** 

(i) (a) and (b)

(ii) (a) and (c)

(iii) (a), (b) and (c)

(iv) all

Answer :

(i) (a) and (b)

#### Question (2)

 $Fe_2O_3 + 2Al \rightarrow Al_2O_3 + 2Fe$ 

The above reaction is an example of a:

- (a) combination reaction.
- (b) double displacement reaction.
- (c) decomposition reaction.
- (d) displacement reaction.

#### Answer :

(d) The given reaction is an example of a displacement reaction.

#### Question (3)

What happens when dilute hydrochloric acid is added to iron filings? Tick the correct answer.

(a) Hydrogen gas and iron chloride are produced.

(b) Chlorine gas and iron hydroxide are produced.

(c) No reaction takes place.

(d) Iron salt and water are produced.

#### Answer :

Hydrogen gas and iron chloride are produced. The reaction is as follows:

 $Fe_{(s)} + 2HCl_{(aq)} FeCl_{2(aq)} + H2 \uparrow$ 

#### Question (4)

#### What is a balanced chemical equation? Why should chemical equations bebalanced?

#### Answer :

A reaction which has an equal number of atoms of all the elements on both sides of the chemical equation is called a balanced chemical equation. The law of conservation of mass states that mass can neither be created nor destroyed. Hence, in a chemical reaction, the total mass of reactants should be equal to the total mass of the products. It means that the total number of atoms of each element should be equal on both sides of a chemical equation. Hence, it is for this reason that chemical equations should be balanced.

#### Question (5)

Translate the following statements into chemical equations and then balance them:

(a) Hydrogen gas combines with nitrogen to form ammonia.

(b) Hydrogen sulphide gas burns in air to give water and sulphur dioxide.

(c) Barium chloride reacts with aluminium sulphate to give aluminium chloride and a precipitate of barium sulphate.

(d) Potassium metal reacts with water to give potassium hydroxide and hydrogen gas

#### Answer :

(a) 
$$3H_{2(g)} + N_{2(g)} \rightarrow 2NH_{3(g)}$$
  
(b)  $2H_2S_{(g)} + 3O_{2(g)} \rightarrow 2H_2O_{(1)} + 2SO_{2(g)}$   
(c)  $3BaCl_{2(aq)} + Al_2(SO_4)_{2(aq)} \rightarrow 2AlCl_{3(aq)} + 3BaSO_{4(s)}$   
(d)  $2K_{(s)} + 2H_2O_{(1)} \rightarrow 2KOH_{(aq)} + H_{2(g)}$ 

**Question (6)** 

#### Balance the following chemical equations:

(a) 
$$\text{HNO}_3 + \text{Ca}(\text{OH})_2 \rightarrow \text{Ca}(\text{NO}_3)_2 + \text{H}_2\text{O}$$

- (b) NaOH +  $H_2SO_4 \rightarrow Na_2SO_4 + H_2O$
- (c) NaCl + AgNO<sub>3</sub>  $\rightarrow$  AgCl + NaNO<sub>3</sub>
- (d)  $BaCl_2 + H_2SO_4 \rightarrow BaSO_4 + HCl$

#### Answer :

(a) 
$$2HNO_3 + Ca(OH)_2 \rightarrow Ca(NO_3)_2 + 2H_2O$$

- **(b)**  $2NaOH + H_2SO_4 \rightarrow Na_2SO_4 + 2H_2O$
- (c) NaCl + AgNO<sub>3</sub>  $\rightarrow$  AgCl + NaNO<sub>3</sub>
- (d)  $BaCl_2 + H_2SO_4 \rightarrow BaSO_4 + 2HCl$

#### **Question (7)**

- Write the balanced chemical equations for the following reactions:
- (a) Calcium hydroxide + Carbon dioxide → Calcium carbonate + Water
- (b)  $Zinc + Silver nitrate \rightarrow Zinc nitrate + Silver$
- (c) Aluminium + Copper chloride → Aluminium chloride + Copper

#### (d) Barium chloride + Potassium sulphate $\rightarrow$ Barium sulphate + Potassium chloride

#### Answer :

- (a)  $Ca(OH)_2 + CO_2 \rightarrow CaCO_3 + H_2O$
- **(b)**  $Zn + 2AgNO3 \rightarrow Zn(NO3)2 + 2Ag$
- (c)  $2Al + 3CuCl_2 \rightarrow AlCl_3 + 3Cu$
- (d)  $BaCl_2 + K_2SO_4 \rightarrow BaSO_4 + 2KCl$

#### **Question (8)**

Write the balanced chemical equation for the following and identify the type of reaction in each case:

- (a) Potassium bromide<sub>(aq)</sub> + Barium iodide(aq)  $\rightarrow$  Potassium iodide<sub>(aq)</sub> + Barium bromide<sub>(s)</sub>
- (b) Zinc carbonate<sub>(s)</sub>  $\rightarrow$  Zinc oxide<sub>(s)</sub> + Carbon dioxide<sub>(g)</sub>
- (c)  $Hydrogen_{(g)} + Chlorine_{(g)} \rightarrow Hydrogen chloride_{(g)}$
- (d) Magnesium<sub>(s)</sub> + Hydrochloric  $acid_{(aq)} \rightarrow Magnesium chloride_{(aq)} + Hydrogen_{(g)}$

#### Answer :

- (a)  $2KBr_{(aq)} + Bal_{2(aq)} \rightarrow 2Kl_{(aq)} + BaBr_{2(s)}$ ; Double displacement reaction
- (b)  $ZnCO_{3(s)} \rightarrow ZnO_{(s)} + CO_{2(g)}$ ; Decomposition reaction
- (c)  $H2(g) + Cl2(g) \rightarrow 2HCl(g)$ ; Combination reaction
- (d)  $Mg_{(s)} + 2HCl_{(aq)} \rightarrow MgCl_{2(aq)} + H_{2(g)}$ ; Displacement reaction

#### **Question (9)**

#### What does one mean by exothermic and endothermic reactions? Give examples.

#### Answer :

Chemical reactions that release energy in the form of heat, light, or sound are called exothermic reactions.

**Example:** Mixture of sodium and chlorine to yield table salt

 $Na_{(s)} + \frac{1}{2}Cl_{2(s)} \rightarrow NaCl_{(s)} + 411kJ$  of energy

In other words, combination reactions are exothermic.

Reactions that absorb energy or require energy in order to proceed are called endothermic reactions.

For example: In the process of photosynthesis, plants use the energy from the sun to convert carbon dioxide and water to glucose and oxygen.

Sunlight

 $6\text{CO}_{2(g)} + 6\text{H}_2\text{O}_{(l)} \rightarrow \text{C}_6\text{H}_{12}\text{O}_{6(aq)} + 6\text{O}_{2(g)}$ 

#### Question (10)

#### Why is respiration considered an exothermic reaction? Explain.

#### Answer :

Energy is required to support life. Energy in our body is obtained from the food we eat. During digestion, large molecules of food are broken down into simpler substances such as glucose. Glucose combines with oxygen in the cells and provides energy. The special name of this combustion reaction is respiration. Since energy is released in the whole process, it is an exothermic process.

```
C_6H_{12}O_{6(aq)} + 6O_{2(g)} \rightarrow 6CO_{2(g)} + 6H_2O_{(l)} + Energy
```

#### Question (11)

Why are decomposition reactions called the opposite of combination reactions? Write equations for these reactions.

Answer :

Decomposition reactions are those in which a compound breaks down to form two or more substances. These reactions require a source of energy to proceed. Thus, they are the exact opposite of combination reactions in which two or more substances combine to give a new substance with the release of energy.

**Decomposition reaction:**  $AB + Energy \rightarrow A + B$ 

 $2\mathrm{H}_{2}\mathrm{O}_{(l)} \rightarrow 2\mathrm{H}_{2(g)} + \mathrm{O}_{2(g)}$ 

Combination reaction:  $A + B \rightarrow AB + Energy$ 

 $2H_{2(g)} + O_{2(g)} \rightarrow 2H_2O_{(l)} + Energy$ 

#### Question (12)

Write one equation each for decomposition reactions where energy is supplied in the form of heat, light and electricity.

#### Answer :

(a) Thermal decomposition:

2FeSO <sub>4(s)</sub>	$\rightarrow$	$Fe_2O_{3(s)} +$	SO <sub>2(g)</sub> +	SO <sub>3(g)</sub>		
Ferrous Sulp	ohide	Ferric oxide	suphur dioxide	Sulphur trioxide		
(b) Decomposition by light:						
2AgCl <sub>(s)</sub>	$\rightarrow$	2Ag <sub>(s)</sub> +	Cl <sub>2(g)</sub>			
Silver Chlor	ide	Silver	Chlorine			
(c) Decomposition by electricity:						
2Al <sub>2</sub> O <sub>3(aq)</sub>	$\rightarrow$	4Al <sub>(s)</sub> +	30 <sub>2(g)</sub>			

Aluminium oxide Aluminium Oxygen

#### Question (13)

# What is the difference between displacement and double displacement reactions? Write equations for these reactions.

#### Answer :

In a displacement reaction, a more reactive element replaces a less reactive element from a compound.

A + BX AX + B; where A is more reactive than B

In a double displacement reaction, two atoms or a group of atoms switch places to form new compounds.

 $AB + CD \rightarrow AD + CB$ 

For example:

Displacement reaction:

 $CuSO_{4(aq)} + Zn_{(s)} \rightarrow ZnSO_{4(aq)} + Cu_{(s)}$ 

Double displacement reaction:

 $Na_2SO_{4(aq)} + BaCl_{2(aq)} \rightarrow BaSO_{4(s)} + 2NaCl_{(aq)}$ 

#### Question (14)

In the refining of silver, the recovery of silver from silver nitrate solution involved displacement by copper metal. Write down the reaction involved.

#### Answer :

 $2AgNO_{3(aq)} + Cu_{(s)} \rightarrow Cu(NO_3)_{2(aq)} + 2Ag_{(s)}$ Silver Nitrate Copper Copper nitrate Silver

#### Question (15)

#### What do you mean by precipitation reaction? Explain by giving examples.

#### Answer :

A reaction in which an insoluble solid (called precipitate) is formed is called a precipitation reaction.

For example:

 $Na_2CO_{3(aq)} + CaCl_{2(aq)} \rightarrow CaCO_{3(s)} + 2NaCl_{(aq)}$ 

Sodium Carbonate Calcium Chloride Calcium Carbonate Sodium

Chloride

In this reaction, calcium carbonate is obtained as a precipitate. Hence, it is a precipitation reaction.

Another example of precipitation reaction is:

 $Na_2SO_4 + BaCl_{2(aq)} \rightarrow BaSO_{4(s)} + 2NaCl_{(aq)}$ 

Sodium Sulphate Barium Chloride Barium Sulphate Sodium Chloride

In this reaction, barium sulphate is obtained as a precipitate.

#### Question (16)

#### Explain the following in terms of gain or loss of oxygen with two examples each.

- (a) Oxidation
- (b) Reduction

#### Answer :

(a) Oxidation is the gain of oxygen.

For example:

(i) 
$$CO_2 + H_2 \rightarrow CO + H_2O$$

Addition of oygen-oxidation

(ii)  $2Cu + O_2 \rightarrow 2CuO$ 

Gain of oxygen - oxidation

In equation (i), H<sub>2</sub> is oxidized to H<sub>2</sub>O and in equation (ii), Cu is oxidised to CuO.

(b) Reduction is the loss of oxygen.

For example:

(i)  $CO_2 + H_2 \rightarrow CO + H_2O$ 

Reduction of oxygen - reduction

(ii)  $CuO + H_2 \rightarrow Cu + H_2O$ 

Loss of oxygen - reduction

In equation (i), CO<sub>2</sub> is reduced to CO and in equation (ii), CuO is reduced to Cu.

#### Question (17)

A shiny brown-coloured element 'X' on heating in air becomes black in colour. Name the element 'X' and the black coloured compound formed.

#### Answer :

'X' is copper (Cu) and the black-coloured compound formed is copper oxide (CuO). The equation of the reaction involved on heating copper is given below.

 $2Cu + O2 \rightarrow 2CuO$ 

(Shiny brown in colour) (Black in colour)

#### Question (18)

## Why do we apply paint on iron articles?

## Answer :

Iron particles are painted because it prevents them from rusting. When painted, the contact of iron particles from moisture and air is cut off. Hence, rusting is prevented their presence is essential for rusting to take place.

## Question (19)

Oil and fat containing food items are flushed with nitrogen. Why?

#### Answer :

Nitrogen is an inert gas and does not easily react with these substances. On the otherhand, oxygen reacts withfood substances and makes them rancid. Thus, bags used in packing food items are flushed with nitrogen gas to remove oxygen inside the pack. When oxygen is not present inside the pack, rancidity of oil and fat containing food items is avoided.

#### Question (20)

#### Explain the following terms with one example each

(a) Corrosion

(b) Rancidity

Answer :

#### (a) Corrosion:

Corrosion is defined as a process where materials, usually metals, deteriorate as a result of a chemical reaction with air, moisture, chemicals, etc.

For example, iron in the presence of moisture, reacts with oxygen to form hydrated iron oxide.

This hydrated iron oxide is rust.

#### (b) Rancidity:

The process of oxidation of fats and oils that can be easily noticed by the change in taste and smell is known as rancidity.

For example, the taste and smell of butter changes when kept for long.

Rancidity can be avoided by:

- 1. Storing food in air tight containers
- 2. Storing food in refrigerators
- 3. Adding antioxidants
- 4. Storing food in an environment of nitrogen